



2022 USBC Senior Championships




Oil Pattern Distance: 43 Feet **Reverse Brush Drop:** 40 Feet **Oil Per Board:** 50 uL
Forward Oil Total: 17.5 mL **Reverse Oil Total:** 8 mL **Volume Oil Total:** 25.5 mL
Forward Boards Crossed: 350 Boards **Reverse Boards Crossed:** 160 Boards **Total Boards Crossed:** 510 Boards

Start	Stop	Loads	Speed	Crossed	Start	End	Feet	T.Oil
1	2L 2R	3	14	111	0.0	3.9	3.9	5550
2	6L 6R	1	18	29	3.9	6.4	2.5	1450
3	8L 8R	2	18	50	6.4	11.5	5.1	2500
4	9L 9R	2	18	46	11.5	16.6	5.1	2300
5	10L 10R	2	18	42	16.6	21.7	5.1	2100
6	11L 11R	2	18	38	21.7	26.8	5.1	1900
7	12L 12R	2	18	34	26.8	31.9	5.1	1700
8	2L 2R	0	26	0	31.9	43.0	11.1	0


Conditioner: Type In or Select One
TransferType: Type In or Select One

Forward
Reverse
Combined
Buff

Start	Stop	Loads	Speed	Crossed	Start	End	Feet	T.Oil
1	2L 2R	0	30	0	43.0	29.0	-14.0	0
2	12L 12R	2	18	34	29.0	23.9	-5.1	1700
3	11L 11R	2	18	38	23.9	18.8	-5.1	1900
4	10L 10R	2	18	42	18.8	13.7	-5.1	2100
5	9L 9R	2	18	46	13.7	8.6	-5.1	2300
6	2L 2R	0	14	0	8.6	0.0	-8.6	0



Item	3L-7L:18L-18R	8L-12L:18L-18R	13L-17L:18L-18R	18L-18R:17R-13R	18L-18R:12R-8R	18L-18R:7R-3R
Description	Outside Track:Middle	Middle Track:Middle	Inside Track:Middle	Middle: Inside Track	Middle:Middle Track	Middle:Outside Track
Track Zone Ratio	6.47	1.57	1	1	1.57	6.47





Kegel Bourbon Street v2




Oil Pattern Distance: 43 Feet **Reverse Brush Drop:** 40 Feet **Oil Per Board:** 50 uL
Forward Oil Total: 17.25 mL **Reverse Oil Total:** 7.85 mL **Volume Oil Total:** 25.1 mL
Forward Boards Crossed: 345 Boards **Reverse Boards Crossed:** 157 Boards **Total Boards Crossed:** 502 Boards

	Start	Stop	Loads	Speed	Crossed	Start	End	Feet	T.Oil
1	2L	2R	3	14	111	0.0	3.9	3.9	5550
2	4L	4R	1	14	33	3.9	5.8	1.9	1650
3	9L	9R	1	14	23	5.8	7.7	1.9	1150
4	10L	10R	3	18	63	7.7	15.3	7.6	3150
5	11L	11R	3	18	57	15.3	22.9	7.6	2850
6	13L	13R	3	18	45	22.9	30.5	7.6	2250
7	14L	14R	1	22	13	30.5	33.6	3.1	650
8	2L	2R	0	22	0	33.6	36.0	2.4	0
9	2L	2R	0	26	0	36.0	43.0	7.0	0

	Start	Stop	Loads	Speed	Crossed	Start	End	Feet	T.Oil
1	2L	2R	0	22	0	43.0	32.0	-11.0	0
2	14L	14R	1	22	13	32.0	28.9	-3.1	650
3	13L	13R	3	18	45	28.9	21.3	-7.6	2250
4	11L	11R	3	18	57	21.3	13.7	-7.6	2850
5	10L	10R	2	14	42	13.7	9.8	-3.9	2100
6	2L	2R	0	10	0	9.8	0.0	-9.8	0


Conditioner:
 Type In or Select One
 TransferType:
 Type In or Select One

- Forward
- Reverse
- Combined
- Buff



Reverse drop brush at 34'

Item	3L-7L:18L-18R	8L-12L:18L-18R	13L-17L:18L-18R	18L-18R:17R-13R	18L-18R:12R-8R	18L-18R:7R-3R
Description	Outside Track:Middle	Middle Track:Middle	Inside Track:Middle	Middle: Inside Track	Middle:Middle Track	Middle:Outside Track
Track Zone Ratio	6.32	2.35	1.02	1.02	2.35	6.32





TUNGSTEN v2




Oil Pattern Distance: 42 Feet **Reverse Brush Drop:** 36 Feet **Oil Per Board:** 50 uL
Forward Oil Total: 14.85 mL **Reverse Oil Total:** 10.85 mL **Volume Oil Total:** 25.7 mL
Forward Boards Crossed: 297 Boards **Reverse Boards Crossed:** 217 Boards **Total Boards Crossed:** 514 Boards

Start	Stop	Loads	Speed	Crossed	Start	End	Feet	T.Oil
1	2L 2R	1	14	37	0.0	0.0	0.0	1850
2	6L 6R	2	14	58	0.0	3.9	3.9	2900
3	8L 8R	3	14	75	3.9	9.8	5.9	3750
4	10L 10R	3	14	63	9.8	15.7	5.9	3150
5	12L 12R	2	18	34	15.7	20.8	5.1	1700
6	13L 13R	2	18	30	20.8	25.9	5.1	1500
7	2L 2R	0	22	0	25.9	32.0	6.1	0
8	2L 2R	0	26	0	32.0	42.0	10.0	0

Conditioner: _____
 Type In or Select One
 TransferType: _____
 Type In or Select One

Forward
 Reverse
 Combined
 Buff

Start	Stop	Loads	Speed	Crossed	Start	End	Feet	T.Oil
1	2L 2R	0	30	0	42.0	32.0	-10.0	0
2	12L 12R	2	22	34	32.0	25.8	-6.2	1700
3	10L 10R	2	22	42	25.8	19.6	-6.2	2100
4	8L 8R	2	18	50	19.6	14.5	-5.1	2500
5	7L 7R	2	18	54	14.5	9.4	-5.1	2700
6	2L 2R	1	18	37	9.4	6.9	-2.5	1850
7	2L 2R	0	14	0	6.9	0.0	-6.9	0



Item	3L-7L:18L-18R	8L-12L:18L-18R	13L-17L:18L-18R	18L-18R:17R-13R	18L-18R:12R-8R	18L-18R:7R-3R
Description	Outside Track:Middle	Middle Track:Middle	Inside Track:Middle	Middle: Inside Track	Middle:Middle Track	Middle:Outside Track
Track Zone Ratio	6.88	1.49	1	1	1.49	6.88

