


Mount Penn Pagoda



37 Feet Oil Pattern Distance: 42 Feet **Reverse Brush Drop:** Oil Per Board: 50 uL 16.45 mL 7.6 mL 24.05 mL **Forward Oil Total: Reverse Oil Total: Volume Oil Total:** Forward Boards Crossed: 329 Boards 481 Boards Reverse Boards Crossed: 152 Boards **Total Boards Crossed:**




	Start	Stop	Loads	Speed	Crossed	Start	End	Feet	T.Oil	
1	2L	2R	0	30	0	42.0	32.0	-10.0	0	
2	13L	13R	3	22	45	32.0	22.7	-9.3	2250	
3	11L	11R	3	22	57	22.7	13.4	-9.3	2850	
4	9L	9R	1	18	23	13.4	10.9	-2.5	1150	
5	7L	7R	1	18	27	10.9	8.4	-2.5	1350	
6	2L	2R	0	14	0	8.4	0.0	-8.4	0	


MIDDLE ROAD - V3

Conditioner:
Type In or Select
One
TransferType:
Type In or Select
One





Item	3L-7L:18L-18R	8L-12L:18L-18R	13L-17L:18L-18R	18L-18R:17R-13R	18L-18R:12R-8R	18L-18R:7R-3R
Description	Outside Track:Middle	Middle Track:Middle	Inside Track:Middle	MIddle: Inside Track	Middle:Middle Track	Middle:Outside Track
Track Zone Ratio	5.25	1.72	1.01	1.01	1.72	5.25






Red Rose City




37 Feet Oil Pattern Distance: 42 Feet Reverse Brush Drop: Oil Per Board: 50 uL 16.4 mL 9.2 mL 25.6 mL **Forward Oil Total: Reverse Oil Total: Volume Oil Total:** Forward Boards Crossed: 328 Boards Reverse Boards Crossed: 184 Boards **Total Boards Crossed:** 512 Boards



Type In or Select
One
TransferType: Type In or Select
One






1 2L 2R 0 30 0 42.0 30.0 -12.0 2 12L 12R 2 18 34 30.0 24.9 -5.1 3 10L 10R 2 18 42 24.9 19.8 -5.1 4 8L 8R 1 18 25 19.8 17.3 -2.5 5 7L 7R 2 18 54 17.3 12.2 -5.1 6 6L 6R 1 18 29 12.2 9.7 -2.5 7 2L 2R 0 14 0 9.7 0.0 -9.7					-1					
3 10L 10R 2 18 42 24.9 19.8 -5.1 4 8L 8R 1 18 25 19.8 17.3 -2.5 5 7L 7R 2 18 54 17.3 12.2 -5.1 6 6L 6R 1 18 29 12.2 9.7 -2.5	1	2L	2R	0	30	0	42.0	30.0	-12.0	0
4 8L 8R 1 18 25 19.8 17.3 -2.5 5 7L 7R 2 18 54 17.3 12.2 -5.1 6 6L 6R 1 18 29 12.2 9.7 -2.5	2	12L	12R	2	18	34	30.0	24.9	-5.1	1700
5 7L 7R 2 18 54 17.3 12.2 -5.1 6 6L 6R 1 18 29 12.2 9.7 -2.5	3	10L	10R	2	18	42	24.9	19.8	-5.1	2100
6 6L 6R 1 18 29 12.2 9.7 -2.5	4	8L	8R	1	18	25	19.8	17.3	-2.5	1250
	5	7L	7R	2	18	54	17.3	12.2	-5.1	2700
7 2L 2R 0 14 0 9.7 0.0 -9.7	6	6L	6R	1	18	29	12.2	9.7	-2.5	1450
	7	2L	2R	0	14	0	9.7	0.0	-9.7	0
	Id Id		Forwa	ard Re	everse	More				

Start Stop Loads Speed Crossed Start End Feet T.Oil

2022 USBC Women's Championships







Strawberry Square



55

45


35

25

15

5

38 Feet Oil Pattern Distance: 41 Feet **Reverse Brush Drop:** Oil Per Board: 50 uL 12.35 mL 13.15 mL 25.5 mL **Forward Oil Total: Reverse Oil Total: Volume Oil Total:** Forward Boards Crossed: 247 Boards 510 Boards 263 Boards **Reverse Boards Crossed: Total Boards Crossed:**





TransferType: Type In or Selec One
Forward
Reverse

Conditioner:

Type In or Select

One






	Start	Stop	Loads	Speed	Crossed	Start	End	Feet	T.Oil
1	2L	2R	0	30		41.0	34.0	-7.0	0
2	12L	12R	3	18		34.0	26.4	-7.6	2550
3	10L	10R	3	18	63	26.4	18.8	-7.6	3150
4	8L	8R	3	18	75	18.8	11.2	-7.6	3750
5	2L	2R	2	18	74	11.2	6.1	-5.1	3700
6	2L	2R	0	14	0	6.1	0.0	-6.1	0
N A		Forwa	ard Re	everse	More				

2018 Ohio Boys State Finals

Item	3L-7L:18L-18R	8L-12L:18L-18R	13L-17L:18L-18R	18L-18R:17R-13R	18L-18R:12R-8R	18L-18R:7R-3R
Description	Outside Track:Middle	Middle Track:Middle	Inside Track:Middle	MIddle: Inside Track	Middle:Middle Track	Middle:Outside Track
Track Zone Ratio	5.5	1.67	1	1	1.67	5.5





White Rose City




36 Feet Oil Pattern Distance: 42 Feet **Reverse Brush Drop:** Oil Per Board: 50 uL 17.55 mL 8.5 mL 26.05 mL **Reverse Oil Total: Forward Oil Total: Volume Oil Total:** Forward Boards Crossed: 351 Boards 170 Boards 521 Boards **Reverse Boards Crossed: Total Boards Crossed:**


1 2L 2R 3 14 111 0.0 3.9 3.9 5550 2 8L 8R 2 14 50 3.9 7.8 3.9 2500 3 10L 9R 3 14 66 7.8 13.7 5.9 3300 4 12L 10R 3 14 57 13.7 19.6 5.9 2850 5 14L 12R 3 18 45 19.6 27.2 7.6 2250 6 16L 14R 2 18 22 27.2 32.3 5.1 1100 7 2L 2R 0 22 0 32.3 36.0 3.7 0 8 2L 2R 0 26 0 36.0 42.0 6.0 0	2 8L 8R 2 14 50 3.9 7.8 3.9 2500 3 10L 9R 3 14 66 7.8 13.7 5.9 3300 4 12L 10R 3 14 57 13.7 19.6 5.9 2850 5 14L 12R 3 18 45 19.6 27.2 7.6 2250 6 16L 14R 2 18 22 27.2 32.3 5.1 1100 7 2L 2R 0 22 0 32.3 36.0 3.7 0	4	Start	Stop	Loads	Speed	Crossed	Start	End	Feet	T.Oil
3 10L 9R 3 14 66 7.8 13.7 5.9 3300 4 12L 10R 3 14 57 13.7 19.6 5.9 2850 5 14L 12R 3 18 45 19.6 27.2 7.6 2250 6 16L 14R 2 18 22 27.2 32.3 5.1 1100 7 2L 2R 0 22 0 32.3 36.0 3.7 0	3 10L 9R 3 14 66 7.8 13.7 5.9 3300 4 12L 10R 3 14 57 13.7 19.6 5.9 2850 5 14L 12R 3 18 45 19.6 27.2 7.6 2250 6 16L 14R 2 18 22 27.2 32.3 5.1 1100 7 2L 2R 0 22 0 32.3 36.0 3.7 0	1	2L	2R	3	14	111	0.0	3.9	3.9	5550
4 12L 10R 3 14 57 13.7 19.6 5.9 2850 5 14L 12R 3 18 45 19.6 27.2 7.6 2250 6 16L 14R 2 18 22 27.2 32.3 5.1 1100 7 2L 2R 0 22 0 32.3 36.0 3.7 0	4 12L 10R 3 14 57 13.7 19.6 5.9 2850 5 14L 12R 3 18 45 19.6 27.2 7.6 2250 6 16L 14R 2 18 22 27.2 32.3 5.1 1100 7 2L 2R 0 22 0 32.3 36.0 3.7 0	2	8L	8R	2	14	50	3.9	7.8	3.9	2500
5 14L 12R 3 18 45 19.6 27.2 7.6 2250 6 16L 14R 2 18 22 27.2 32.3 5.1 1100 7 2L 2R 0 22 0 32.3 36.0 3.7 0	5 14L 12R 3 18 45 19.6 27.2 7.6 2250 6 16L 14R 2 18 22 27.2 32.3 5.1 1100 7 2L 2R 0 22 0 32.3 36.0 3.7 0	3	10L	9R	3	14	66	7.8	13.7	5.9	3300
6 16L 14R 2 18 22 27.2 32.3 5.1 1100 7 2L 2R 0 22 0 32.3 36.0 3.7 0	6 16L 14R 2 18 22 27.2 32.3 5.1 1100 7 2L 2R 0 22 0 32.3 36.0 3.7 0	4	12L	10R	3	14	57	13.7	19.6	5.9	2850
7 2L 2R 0 22 0 32.3 36.0 3.7 0	7 2L 2R 0 22 0 32.3 36.0 3.7 0	5	14L	12R	3	18	45	19.6	27.2	7.6	2250
		6	16L	14R	2	18	22	27.2	32.3	5.1	1100
8 2L 2R 0 26 0 36.0 42.0 6.0 0	8 2L 2R 0 26 0 36.0 42.0 6.0 0	7	2L	2R	0	22	0	32.3	36.0	3.7	0
		8	2L	2R	0	26	0	36.0	42.0	6.0	0

	Start	Stop	Loads	Speed	Crossed	Start	End	Feet	T.Oil
1	2L	2R	0	30	0	42.0	30.0	-12.0	0
2	15L	13R	1	22	13	30.0	26.9	-3.1	650
3	13L	12R	2	18	32	26.9	21.8	-5.1	1600
4	11L	11R	2	18	38	21.8	16.7	-5.1	1900
5	9L	9R	1	18	23	16.7	14.2	-2.5	1150
6	7L	7R	1	14	27	14.2	12.3	-1.9	1350
7	2L	2R	1	14	37	12.3	10.4	-1.9	1850
8	2L	2R	0	14	0	10.4	0.0	-10.4	0

BEATEN PATH V2 - 5742

Conditioner:
Type In or Select
One
TransferType:
Type In or Select
One





Item	3L-7L:18L-18R	8L-12L:18L-18R	13L-17L:18L-18R	18L-18R:17R-13R	18L-18R:12R-8R	18L-18R:7R-3R
Description	Outside Track:Middle	Middle Track:Middle	Inside Track:Middle	MIddle: Inside Track	Middle:Middle Track	Middle:Outside Track
Track Zone Ratio	5.71	2.18	1.1	1.02	1.74	5.71

