

# Kegel Carbon {nonflex}

Oil Pattern Distance: **42 Feet**  
Forward Oil Total: **16.3 mL**  
Forward Boards Crossed: **326 Boards**

Reverse Brush Drop: **38 Feet**  
Reverse Oil Total: **9.95 mL**  
Reverse Boards Crossed: **199 Boards**

Oil Per Board: **50 uL**  
Volume Oil Total: **26.25 mL**  
Total Boards Crossed: **525 Boards**

|   | Start | Stop | Loads | Speed | Crossed | Start | End  | Feet | T.Oil |
|---|-------|------|-------|-------|---------|-------|------|------|-------|
| 1 | 2L    | 2R   | 2     | 18    | 74      | 0.0   | 2.5  | 2.5  | 3700  |
| 2 | 8L    | 8R   | 4     | 18    | 100     | 2.5   | 12.7 | 10.2 | 5000  |
| 3 | 10L   | 10R  | 4     | 18    | 84      | 12.7  | 22.9 | 10.2 | 4200  |
| 4 | 12L   | 12R  | 4     | 18    | 68      | 22.9  | 33.1 | 10.2 | 3400  |
| 5 | 2L    | 2R   | 0     | 22    | 0       | 33.1  | 34.0 | 0.9  | 0     |
| 6 | 2L    | 2R   | 0     | 30    | 0       | 34.0  | 42.0 | 8.0  | 0     |

Forward Reverse More

|   | Start | Stop | Loads | Speed | Crossed | Start | End  | Feet  | T.Oil |
|---|-------|------|-------|-------|---------|-------|------|-------|-------|
| 1 | 2L    | 2R   | 0     | 30    | 0       | 42.0  | 29.0 | -13.0 | 0     |
| 2 | 13L   | 13R  | 3     | 18    | 45      | 29.0  | 21.4 | -7.6  | 2250  |
| 3 | 12L   | 12R  | 3     | 18    | 51      | 21.4  | 13.8 | -7.6  | 2550  |
| 4 | 11L   | 11R  | 3     | 14    | 57      | 13.8  | 7.9  | -5.9  | 2850  |
| 5 | 9L    | 9R   | 2     | 14    | 46      | 7.9   | 4.0  | -3.9  | 2300  |
| 6 | 2L    | 2R   | 0     | 14    | 0       | 4.0   | 0.0  | -4.0  | 0     |

Forward Reverse More


Conditioner:  
Type In or Select  
One  
TransferType:  
Type In or Select  
One

Forward

Reverse


Combined

Buff



Element Series (Recreation)

| Item             | 3L-7L:18L-18R        | 8L-12L:18L-18R      | 13L-17L:18L-18R     | 18L-18R:17R-13R      | 18L-18R:12R-8R      | 18L-18R:7R-3R        |
|------------------|----------------------|---------------------|---------------------|----------------------|---------------------|----------------------|
| Description      | Outside Track:Middle | Middle Track:Middle | Inside Track:Middle | Middle: Inside Track | Middle:Middle Track | Middle:Outside Track |
| Track Zone Ratio | 12.5                 | 1.98                | 1                   | 1                    | 1.98                | 12.5                 |



# Kegel Helium {nonflex}

Oil Pattern Distance: **41 Feet**  
Forward Oil Total: **13.6 mL**  
Forward Boards Crossed: **272 Boards**

Reverse Brush Drop: **37 Feet**  
Reverse Oil Total: **9.55 mL**  
Reverse Boards Crossed: **191 Boards**

Oil Per Board: **50 uL**  
Volume Oil Total: **23.15 mL**  
Total Boards Crossed: **463 Boards**

|   | Start | Stop | Loads | Speed | Crossed | Start | End  | Feet | T.Oil |
|---|-------|------|-------|-------|---------|-------|------|------|-------|
| 1 | 2L    | 2R   | 2     | 18    | 74      | 0.0   | 2.5  | 2.5  | 3700  |
| 2 | 10L   | 10R  | 7     | 18    | 147     | 2.5   | 20.3 | 17.8 | 7350  |
| 3 | 12L   | 12R  | 3     | 18    | 51      | 20.3  | 27.9 | 7.6  | 2550  |
| 4 | 2L    | 2R   | 0     | 22    | 0       | 27.9  | 34.0 | 6.1  | 0     |
| 5 | 2L    | 2R   | 0     | 26    | 0       | 34.0  | 41.0 | 7.0  | 0     |

Forward Reverse More

|   | Start | Stop | Loads | Speed | Crossed | Start | End  | Feet  | T.Oil |
|---|-------|------|-------|-------|---------|-------|------|-------|-------|
| 1 | 2L    | 2R   | 0     | 30    | 0       | 41.0  | 34.0 | -7.0  | 0     |
| 2 | 11L   | 11R  | 4     | 22    | 76      | 34.0  | 21.6 | -12.4 | 3800  |
| 3 | 9L    | 9R   | 5     | 18    | 115     | 21.6  | 8.9  | -12.7 | 5750  |
| 4 | 2L    | 2R   | 0     | 14    | 0       | 8.9   | 0.0  | -8.9  | 0     |

Forward Reverse More

Conditioner:  
Type In or Select  
One


TransferType:  
Type In or Select  
One

Forward

Reverse


Combined

Buff



Element Series (Recreation)

| Item             | 3L-7L:18L-18R        | 8L-12L:18L-18R      | 13L-17L:18L-18R     | 18L-18R:17R-13R      | 18L-18R:12R-8R      | 18L-18R:7R-3R        |
|------------------|----------------------|---------------------|---------------------|----------------------|---------------------|----------------------|
| Description      | Outside Track:Middle | Middle Track:Middle | Inside Track:Middle | Middle: Inside Track | Middle:Middle Track | Middle:Outside Track |
| Track Zone Ratio | 10.5                 | 1.69                | 1                   | 1                    | 1.69                | 10.5                 |



# Kegel Lithium {nonflex}

Oil Pattern Distance: **44 Feet**  
Forward Oil Total: **15.9 mL**  
Forward Boards Crossed: **318 Boards**

Reverse Brush Drop: **37 Feet**  
Reverse Oil Total: **7.55 mL**  
Reverse Boards Crossed: **151 Boards**

Oil Per Board: **50 uL**  
Volume Oil Total: **23.45 mL**  
Total Boards Crossed: **469 Boards**

|   | Start | Stop | Loads | Speed | Crossed | Start | End  | Feet | T.Oil |
|---|-------|------|-------|-------|---------|-------|------|------|-------|
| 1 | 2L    | 2R   | 3     | 14    | 111     | 0.0   | 3.9  | 3.9  | 5550  |
| 2 | 8L    | 8R   | 2     | 18    | 50      | 3.9   | 9.0  | 5.1  | 2500  |
| 3 | 10L   | 10R  | 3     | 18    | 63      | 9.0   | 16.6 | 7.6  | 3150  |
| 4 | 12L   | 12R  | 3     | 18    | 51      | 16.6  | 24.2 | 7.6  | 2550  |
| 5 | 13L   | 13R  | 2     | 22    | 30      | 24.2  | 30.4 | 6.2  | 1500  |
| 6 | 14L   | 14R  | 1     | 22    | 13      | 30.4  | 33.5 | 3.1  | 650   |
| 7 | 2L    | 2R   | 0     | 30    | 0       | 33.5  | 44.0 | 10.5 | 0     |

Forward Reverse More

|   | Start | Stop | Loads | Speed | Crossed | Start | End  | Feet  | T.Oil |
|---|-------|------|-------|-------|---------|-------|------|-------|-------|
| 1 | 2L    | 2R   | 0     | 26    | 0       | 44.0  | 33.0 | -11.0 | 0     |
| 2 | 13L   | 13R  | 4     | 22    | 60      | 33.0  | 20.6 | -12.4 | 3000  |
| 3 | 12L   | 12R  | 2     | 18    | 34      | 20.6  | 15.5 | -5.1  | 1700  |
| 4 | 11L   | 11R  | 3     | 18    | 57      | 15.5  | 7.9  | -7.6  | 2850  |
| 5 | 2L    | 2R   | 0     | 14    | 0       | 7.9   | 0.0  | -7.9  | 0     |

Forward Reverse More


Conditioner:  
Type In or Select  
One  
TransferType:  
Type In or Select  
One

Forward

Reverse


Combined

Buff



Element Series (Recreation)

| Item             | 3L-7L:18L-18R        | 8L-12L:18L-18R      | 13L-17L:18L-18R     | 18L-18R:17R-13R      | 18L-18R:12R-8R      | 18L-18R:7R-3R        |
|------------------|----------------------|---------------------|---------------------|----------------------|---------------------|----------------------|
| Description      | Outside Track:Middle | Middle Track:Middle | Inside Track:Middle | Middle: Inside Track | Middle:Middle Track | Middle:Outside Track |
| Track Zone Ratio | 7.67                 | 2.56                | 1.01                | 1.01                 | 2.56                | 7.67                 |



# Magnesium {nonflex}

Oil Pattern Distance: **43 Feet**  
Forward Oil Total: **10.85 mL**  
Forward Boards Crossed: **217 Boards**

Reverse Brush Drop: **39 Feet**  
Reverse Oil Total: **10.25 mL**  
Reverse Boards Crossed: **205 Boards**

Oil Per Board: **50 uL**  
Volume Oil Total: **21.1 mL**  
Total Boards Crossed: **422 Boards**

|   | Start | Stop | Loads | Speed | Crossed | Start | End  | Feet | T.Oil |
|---|-------|------|-------|-------|---------|-------|------|------|-------|
| 1 | 2L    | 2R   | 2     | 18    | 74      | 0.0   | 2.5  | 2.5  | 3700  |
| 2 | 9L    | 9R   | 2     | 18    | 46      | 2.5   | 7.6  | 5.1  | 2300  |
| 3 | 10L   | 10R  | 3     | 18    | 63      | 7.6   | 15.2 | 7.6  | 3150  |
| 4 | 12L   | 12R  | 2     | 18    | 34      | 15.2  | 20.3 | 5.1  | 1700  |
| 5 | 2L    | 2R   | 0     | 18    | 0       | 20.3  | 24.0 | 3.7  | 0     |
| 6 | 2L    | 2R   | 0     | 22    | 0       | 24.0  | 33.0 | 9.0  | 0     |
| 7 | 2L    | 2R   | 0     | 30    | 0       | 33.0  | 43.0 | 10.0 | 0     |

Conditioner:  
Type In or Select  
One

TransferType:  
Type In or Select  
One

Forward

Reverse

Combined


Buff

Forward Reverse More

|   | Start | Stop | Loads | Speed | Crossed | Start | End  | Feet  | T.Oil |
|---|-------|------|-------|-------|---------|-------|------|-------|-------|
| 1 | 2L    | 2R   | 0     | 30    | 0       | 43.0  | 35.0 | -8.0  | 0     |
| 2 | 14L   | 14R  | 3     | 18    | 39      | 35.0  | 27.4 | -7.6  | 1950  |
| 3 | 13L   | 13R  | 4     | 18    | 60      | 27.4  | 17.2 | -10.2 | 3000  |
| 4 | 12L   | 12R  | 4     | 14    | 68      | 17.2  | 9.3  | -7.9  | 3400  |
| 5 | 11L   | 11R  | 2     | 10    | 38      | 9.3   | 6.5  | -2.8  | 1900  |
| 6 | 2L    | 2R   | 0     | 10    | 0       | 6.5   | 0.0  | -6.5  | 0     |

Forward Reverse More

High Street v3



| Item             | 3L-7L:18L-18R        | 8L-12L:18L-18R      | 13L-17L:18L-18R     | 18L-18R:17R-13R      | 18L-18R:12R-8R      | 18L-18R:7R-3R        |
|------------------|----------------------|---------------------|---------------------|----------------------|---------------------|----------------------|
| Description      | Outside Track:Middle | Middle Track:Middle | Inside Track:Middle | Middle: Inside Track | Middle:Middle Track | Middle:Outside Track |
| Track Zone Ratio | 11                   | 2.97                | 1.03                | 1.03                 | 2.97                | 11                   |

