


## **Kegel Carbon (nonflex)**



Oil Pattern Distance: 42 Feet 38 Feet Oil Per Board: 50 uL Reverse Brush Drop: Forward Oil Total: 16.3 mL **Reverse Oil Total:** 9.95 mL **Volume Oil Total:** 26.25 mL Reverse Boards Crossed: 199 Boards 525 Boards Forward Boards Crossed: 326 Boards **Total Boards Crossed:** 




Conditioner: Type In or Select One
TransferType: Type In or Select One

Forward

Reverse

Combined


Buff



	Start	Stop	Loads	Speed	Crossed	Start	End	Feet	T.Oil
1	2L	2R	0	30	0	42.0	29.0	-13.0	0
2	13L	13R	3	18	45	29.0	21.4	-7.6	2250
3	12L	12R	3	18	51	21.4	13.8	-7.6	2550
4	11L	11R	3	14	57	13.8	7.9	-5.9	2850
5	9L	9R	2	14	46	7.9	4.0	-3.9	2300
6	2L	2R	0	14	0	4.0	0.0	-4.0	0

Element Series (Recreation)

Item	3L-7L:18L-18R	8L-12L:18L-18R	13L-17L:18L-18R	18L-18R:17R-13R	18L-18R:12R-8R	18L-18R:7R-3R			
Description	Outside Track:Middle	Middle Track:Middle	Inside Track:Middle	MIddle: Inside Track	Middle:Middle Track	Middle:Outside Track			
Track Zone Ratio	12.5	1.98	1	1	1.98	12.5			






## **Kegel Lithium {nonflex}**



Oil Pattern Distance: 44 Feet
Forward Oil Total: 15.9 mL
Forward Boards Crossed: 318 Boards

Reverse Brush Drop: 37 Feet
Reverse Oil Total: 7.55 mL
Reverse Boards Crossed: 151 Boards

Oil Per Board: 50 uL
Volume Oil Total: 23.45 mL
Total Boards Crossed: 469 Boards




Conditioner: Type In or Select One
TransferType: Type In or Select One

Forward

Reverse


Combined


Buff



4	Start	Stop	Loads	Speed	Crossed	Start	End	Feet	T.Oil
1	2L	2R	0	26	0	44.0	33.0	-11.0	0
2	13L	13R	4	22	60	33.0	20.6	-12.4	3000
3	12L	12R	2	18	34	20.6	15.5	-5.1	1700
4	11L	11R	3	18	57	15.5	7.9	-7.6	2850
5	2L	2R	0	14	0	7.9	0.0	-7.9	0

Element Series (Recreation)







## Magnesium {nonflex}



Oil Pattern Distance: 43 Feet
Forward Oil Total: 10.85 mL
Forward Boards Crossed: 217 Boards

Reverse Brush Drop: Reverse Oil Total: Reverse Boards Crossed:

39 Feet 10.25 mL 205 Boards Oil Per Board: Volume Oil Total: Total Boards Crossed: **50 uL** 21.1 mL 422 Boards

4	Start	Stop	Loads	Speed	Crossed	Start	End	Feet	T.Oil
1	2L	2R	2	18	74	0.0	2.5	2.5	3700
2	9L	9R	2	18	46	2.5	7.6	5.1	2300
3	10L	10R	3	18	63	7.6	15.2	7.6	3150
4	12L	12R	2	18	34	15.2	20.3	5.1	1700
5	2L	2R	0	18	0	20.3	24.0	3.7	0
6	2L	2R	0	22	0	24.0	33.0	9.0	0
7	2L	2R	0	30	0	33.0	43.0	10.0	0


Conditioner:
Type In or Select
One
TransferType:
Type In or Select
One

Forward


Reverse

Combined


Buff



High Street v3



Item	3L-7L:18L-18R	8L-12L:18L-18R	13L-17L:18L-18R	18L-18R:17R-13R	18L-18R:12R-8R	18L-18R:7R-3R
Description	Outside Track:Middle	Middle Track:Middle	Inside Track:Middle	MIddle: Inside Track	Middle:Middle Track	Middle:Outside Track
Track Zone Ratio	11	2.97	1.03	1.03	2.97	11






## **Kegel Neon (nonflex)**



43 Feet 39 Feet Oil Per Board: 50 uL Oil Pattern Distance: **Reverse Brush Drop:** Forward Oil Total: 14.5 mL **Reverse Oil Total:** 9.65 mL **Volume Oil Total:** 24.15 mL Forward Boards Crossed: 290 Boards 193 Boards 483 Boards **Reverse Boards Crossed: Total Boards Crossed:** 



Loads Speed Crossed Start End

18

18

18

18

18

14

3

3

2

0

0 43.0

38 20.8

25 10.6

0 8.1

39

45 28.4

36.0

46 15.7 10.6

36.0

28.4

20.8

15.7


8.1 -2.5

0.0 -8.1

-7.6

-5.1

-5.1




1950

2250

1900


2300

1250



One

One



Element Series (Recreation)

Start

2L

11L

2 141

3 13L

5 9L

6 8L

7 2L Stop

2R

14R

13R

11R

9R

8R

2R

Item	3L-7L:18L-18R	8L-12L:18L-18R	13L-17L:18L-18R	18L-18R:17R-13R	18L-18R:12R-8R	18L-18R:7R-3R
Description	Outside Track:Middle	Middle Track:Middle	Inside Track:Middle	MIddle: Inside Track	Middle:Middle Track	Middle:Outside Track
Track Zone Ratio	12.5	2.78	1.02	1.02	2.78	12.5

